

***** Proof of Publication *****

IN THE MATTER NOTICE OF PUBLICATION

AVA HURSE being duly sworn says that she is the CHIEF CLERK of THE DAILY NEWS. And that THE DAILY NEWS, published in Cowlitz County, has been approved as a Legal newspaper by order of the Superior court of the State of Washington of Cowlitz County, and that the Annexed printed copy is a true copy of the notice in the above entitled matter as it was printed in the regular entire issue of said paper and online at www.tdn.com, for publication dates as listed below, and that said newspaper was regularly distributed to its subscribers during all of said period, and that said notice was published in said paper and not in a supplement form. That the full amount of the fee charged for said forgoing publication is as listed below, and is \$3.50 per line for the first insertion and \$3.00 per line for each subsequent insertion. There is also an additional charge of \$10.00 for every additional affidavit copy over two copies.

SW CLEAN AIR AGENCY
11815 NE 99TH STREET 1294
VANCOUVER, WA 98682

ORDER NUMBER 12308


AVA HURSE



Subscribed and sworn to before me this

29th day of February, 2018

DIANA MOORE



Notary Public for the State of Washington
Residing in Cowlitz County

PUBLIC NOTICE
Notice to the public is hereby given that the Southwest Clean Air Agency (SWCAA) is providing a 30 day public comment period for the preliminary determination to issue Air Discharge Permit 18-3266 to the Port of Longview. This preliminary determination approves the installation of two new portable baghouses, relocation of an existing baghouse, and modification of existing portable material handling equipment. All affected equipment operates in support of bulk material handling and storage operations located at 10 Port Way in Longview, Cowlitz County, Washington. The proposed action will not change the nature of existing operations and does not involve any excavation, road construction or building construction. There will be no significant impact on any media other than air. Emissions to the ambient air will be minimized through the use of process enclosure and high efficiency filtration. The existing facilitywide particulate matter (PM10) emission limit will increase by 2.18 tpy to 25.90 tpy. Copies of the preliminary Air Discharge Permit and associated Technical Support Document are available for review at 11815 NE 99th Street, Suite 1294, Vancouver, Washington, Monday through Friday from 7:00 a.m. to 5:30 p.m. Electronic copies are available for review in the permit section of SWCAA's internet website (www.swcleanair.org/permits/publiccomments.asp). This material will be made available in other media, if necessary. All written or oral comments must be received by SWCAA within thirty (30) days after the date of publication. Final action by SWCAA to approve, modify, or deny the proposal will be taken within ten (10) days after the close of the comment period. If there is a demonstrated significant public interest, a public meeting may be held at the close of the public comment period.
Publish: February 21, 2018

PUBLIC NOTICE
Notice to the public is hereby given that the Southwest Clean Air Agency (SWCAA) is providing a 30 day public comment period for the preliminary determination to issue Air Discharge Permit 18-3266 to the Port of Longview. This preliminary determination approves the installation of two new portable baghouses, relocation of an existing baghouse, and modification of existing portable material handling equipment. All affected equipment operates in support of bulk material handling and storage operations located at 10 Port Way in Longview, Cowlitz County, Washington. The proposed action will not change the nature of existing operations and does not involve any excavation, road construction or building construction. There will be no significant impact on any media other than air. Emissions to the ambient air will be minimized through the use of process enclosure and high efficiency filtration. The existing facilitywide particulate matter (PM10) emission limit will increase by 2.18 tpy to 25.90 tpy. Copies of the preliminary Air Discharge Permit and associated Technical Support Document are available for review at 11815 NE 99th Street, Suite 1294, Vancouver, Washington, Monday through Friday from 7:00 a.m. to 5:30 p.m. Electronic copies are available for review in the permit section of SWCAA's internet website (www.swcleanair.org/permits/publiccomments.asp). This material will be made available in other media, if necessary. All written or oral comments must be received by SWCAA within thirty (30) days after the date of publication. Final action by SWCAA to approve, modify, or deny the proposal will be taken within ten (10) days after the close of the comment period. If there is a demonstrated significant public interest, a public meeting may be held at the close of the public comment period.
Publish: February 21, 2018

**Notary Public
State of Washington
DIANA L MOORE
MY COMMISSION EXPIRES
JUNE 26, 2021**

PUBLISHED ON: 02/21/2018

TOTAL AD COST: 199.50
FILED ON: 2/21/2018